

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| S1 | 6 | (delivery with (recipient receiver) with (sender)) with (public and private) near key | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 17:24 |
| S2 | 27 | (server with (recipient receiver) with (sender)) with (public and private) near key and (encrypt\$3 near3 server near3 (public near key)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/27 12:11 |
| S4 | 21 | (server with (recipient receiver) with (sender)) with (public and private) near key and (encrypt\$3 near3 server near3 (public near key)) and deliver\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 17:41 |
| S5 | 0 | (trasnmitr\$3 with sender with recipient with (public near key)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/27 12:17 |
| S6 | 64 | (transmit\$3 with sender with recipient with (public near key)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/27 12:18 |
| S7 | 4 | (transmit\$3 with sender with recipient with (public near key)) and (delivery with (recipient receiver) with (sender)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/27 12:18 |
| S8 | 1 | ((delivery near agent) with (recipient receiver) with (sender)) and (public and private) near key | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/27 12:47 |

EAST Search History

| | | | | | | |
|-----|----|--|--|----|-----|------------------|
| S9 | 10 | ((delivery near agent) with (recipient receiver) with (sender)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/27 12:48 |
| S10 | 0 | (secure near3 deliver\$3) with client with server with (public and private) near key | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 17:15 |
| S11 | 4 | (secure near3 deliver\$3) with (sender recipient receiver client) with (sender recipient receiver server) with (public and private) near key | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 17:16 |
| S12 | 7 | (secure near3 (transfer\$3 deliver\$3)) with (sender recipient receiver client) with (sender recipient receiver server) with (public and private) near key | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 17:19 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| S13 | 78 | ("4625076" "4713780" "4754428" "4816655" "4868877" "5005200" "5018196" "5138653" "5157726" "5210869" "5241599" "5261002" "5283887" "5293250" "5315635" "5388158" "5396537" "5398285" "5424724" "5432785" "5432852" "5436972" "5544152" "5557346" "5557765" "5581615" "5623653" "5633929" "5638446" "5642420" "5671285" "5689565" "5689567" "5706452" "5721777" "5734651" "5745573" "5751813" "5751814" "5764918" "5767847" "5768271" "5790790" "5799086" "5802286" "5812669" "5812671" "5825865" "5832218" "5841865" "5845074" "5848248" "5850451" "5850519" "5864667" "5872848" "5878398" "5898156" "5912974" "5915024" "5948103" "5956406" "5982506" "6009173" "6035104" "6038541" "6044462" "6055575" "6061448" "6064878" "6079020" "6081610" "6085322" "6092113" "6092200" "6119137" "6173399" "6226748").PN. OR ("6988199"). URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/03/28 17:19 |
| S14 | 172 | (delivery with (recipient receiver) with (sender)) and (public and private) near key | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 17:24 |
| S15 | 16 | (delivery with (recipient receiver) with (sender)) and (public and private) near key and barcode | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 17:30 |

EAST Search History

| | | | | | | |
|-----|------|--|--|----|-----|------------------|
| S16 | 3 | "20020004902" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 17:31 |
| S17 | 2 | "20020004902" and (public near3 OC) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 17:31 |
| S18 | 2 | "20020004902" and (public near3 OC) with recipient | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 17:31 |
| S19 | 2729 | (server with (recipient receiver) with (sender)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 17:41 |
| S20 | 114 | (server with (recipient receiver) with (sender)) with (public near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 17:41 |
| S21 | 80 | (server with (recipient receiver) with (sender)) with (public near key) same (private secret) near key | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 17:43 |
| S22 | 32 | (server with (recipient receiver) with (sender)) with (public near key) same (private secret) near key and (encrypt\$3 with server near (public near key)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 18:42 |

EAST Search History

| | | | | | | |
|-----|-------|--|--|----|-----|------------------|
| S23 | 19007 | deliver\$3 near3 server | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 18:42 |
| S24 | 160 | deliver\$3 near3 server with (recipient receiver) with (sender) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 18:43 |
| S25 | 265 | deliver\$3 near3 server with (recipient receiver) with (send\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 18:43 |
| S26 | 10 | deliver\$3 near3 server with (recipient receiver) with (send\$3) with (public near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 18:43 |
| S27 | 5 | deliver\$3 near3 server with (recipient receiver) with (send\$3) with (public near key) and (server near public near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 18:46 |
| S28 | 5 | deliver\$3 near3 server with (recipient receiv\$3) with (send\$3) with (public near key) and (server near public near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 18:46 |
| S29 | 5 | deliver\$3 near3 (system server) with (recipient receiv\$3) with (send\$3) with (public near key) and (server near public near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 18:59 |

EAST Search History

| | | | | | | |
|-----|------|---|--|----|-----|------------------|
| S30 | 2 | "6550012".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/28 18:59 |
| S31 | 2 | "20040044758" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 10:07 |
| S32 | 4024 | (public near switch near telephone near network) (PSTN) with (public near key) with (receiver recipient client) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 10:08 |
| S33 | 4024 | (public near switch near telephone near network) (PSTN) with (public near key) with (receiver recipient client) with (sender server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 10:08 |
| S34 | 0 | ((public near switch near telephone near network) (PSTN)) with (public near key) with (receiver recipient client) with (sender server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 10:08 |
| S35 | 0 | ((public near switch near telephone near network) (PSTN)) with (public near key) with (receiver recipient client) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 10:08 |
| S36 | 157 | ((public near switch near telephone near network) (PSTN)) and(public near key) with (receiver recipient client) with (sender server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 10:09 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| S37 | 0 | ((public near switch near telephone near network) (PSTN)) same(public near key) with (receiver recipient client) with (sender server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 10:09 |
| S38 | 127 | ((public near switch near telephone near network) (PSTN)) and(public near key) with (receiver recipient client) with (sender server) and (deliver\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 10:14 |
| S39 | 4 | ((public near switch near telephone near network) (PSTN)) and(public near key) with (receiver recipient client) with (sender server) and (deliver\$3) with (encrypt\$3) with (public near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 10:16 |
| S40 | 2 | ((delivery near agency)) and(public near key) with (receiver recipient client) with (sender server) and (deliver\$3) with (encrypt\$3) with (public near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 10:20 |
| S41 | 4 | ("2002/0138759").URPN. | USPAT | OR | OFF | 2007/03/29 10:20 |
| S42 | 0 | S41 and (deliver\$3 near agency) | USPAT | OR | OFF | 2007/03/29 10:20 |
| S43 | 32 | ((delivery near (system network server agency))) and (public near key) with (receiver recipient client) with (sender server) and (deliver\$3) with (encrypt\$3) with (public near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 15:10 |
| S44 | 9 | ((delivery near (system network server agency))) and (public near key) with (receiver recipient client) with (sender server) and ((deliver\$3) near3 (encrypt\$3) near3 (public near key)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 10:28 |
| S45 | 0 | ("2005/0257057").URPN. | USPAT | OR | OFF | 2007/03/29 10:33 |

EAST Search History

| | | | | | | |
|-----|----|---|--|----|-----|------------------|
| S46 | 19 | ((delivery near (system network server agency))) and (public near key) with (receiver recipient client) with (sender server) and (deliver\$3) with (encrypt\$3) with (public near key) and (sender with recipient with information) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 10:35 |
| S47 | 8 | ((delivery near (system network server agency))) and (public near key) with (receiver recipient client) with (sender server) and (deliver\$3) with (encrypt\$3) with (public near key) and (sender near3 recipient near3 information) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 10:38 |
| S48 | 60 | server near2 (public near key) with encrypt\$3 with (sender receiver) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 10:39 |
| S49 | 33 | server adj2 (public near key) with encrypt\$3 with (sender receiver) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 10:43 |
| S50 | 92 | ("20040128524" "20020138759" "5552897" "6061448" "6061448" "6145079" "6199052" "6199054" "6285991" "6308277" "6442571" "6446115" "6785812" "7142676" "20020016910" "20020082997" "20020172367" "20030101346" "20030237005" "20040221014" "20050198170" "20060129629" "6996724" "20010036275" "20050102526" "5712907" "6032192" "6044405" "6385655" "6732101" "6988199" "7082538" "7196807" "20020004902" "20020013897" "20020032853" "20020091928" "20020101998" "20020104026" "20020129238" "20030007645" "20030037261" "20040025014" "20040025057" "20040139314" "20050198511" "20060095770" "5404231" "6038296" "4580012").pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 11:08 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|----|-----|------------------|
| S51 | 6 | S50 and encrypt\$3 with (message data information) with (server deliver\$3 (post near office) agency) near2 (public near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 11:16 |
| S52 | 234 | encrypt\$3 near3 (message data information) near3 (server deliver\$3 (post near office) agency) near2 (public near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 11:17 |
| S53 | 100 | encrypt\$3 near3 (message data information) near3 (server deliver\$3 (post near office) agency) near2 (public near key) and sender with (send\$3 output\$4 deliver\$3) with (data message information) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 11:26 |
| S54 | 79 | encrypt\$3 near3 (message data information) near3 (server deliver\$3 (post near office) agency) near2 (public near key) and sender with (send\$3 output\$4 deliver\$3) with (data message information) and (send\$3 transmit\$4 deliver\$3) with (recipient receiver) with (information data message) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 11:30 |
| S55 | 1 | encrypt\$3 near3 (program software module) with (deliv\$5 near (server system agency)) with download\$3 with (clinet receiver recipient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 11:31 |
| S56 | 1 | encrypt\$3 near3 (program software module) with (deliv\$5 near (server system agency)) with download\$3 with (client receiver recipient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 11:32 |
| S57 | 24 | encrypt\$3 near3 (program software module) with (deliv\$5 near (server system agency)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 11:32 |

EAST Search History

| | | | | | | |
|-----|----|---|--|----|-----|------------------|
| S58 | 1 | encrypt\$3 near3 (program software module) with (deliv\$5 near (server system agency)) same (reciev\$3 recipient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 11:33 |
| S59 | 9 | encrypt\$3 near3 (program software module) with (deliv\$5 near (server system agency)) and (reciev\$3 recipient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 11:41 |
| S60 | 0 | federat\$3 with key with mail with sender with receiver | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 11:42 |
| S61 | 0 | federat\$3 with mail with sender with receiver | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 11:42 |
| S62 | 15 | federat\$3 with mail | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 11:43 |
| S63 | 52 | (key near server) with (receiver recipient) with (sender) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 11:44 |
| S64 | 10 | (key near server) with (receiver recipient) with (sender) and (deliver\$3 near (server agent system)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 11:51 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|----|-----|------------------|
| S65 | 6 | secur\$3 near3 secrecy with sender with recipient | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 12:17 |
| S66 | 8 | secrecy with sender with recipient with (information data) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 12:22 |
| S67 | 326 | key near server with (public and private) near key | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 13:16 |
| S68 | 38 | key near server with (public and private) near key and (key near server) near (public near key) near encrypt\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 13:03 |
| S69 | 24 | key near server with (public and private) near key same (key near server) near (public near key) near encrypt\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 15:07 |
| S70 | 19 | key near server with (public and private) near key same (key near server) near (public near key) near encrypt\$3 and (name address) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 13:12 |
| S71 | 0 | key near server with (public and private) near key same (key near server) near (public near key) near encrypt\$3 and (name address) and (bar near code) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 13:09 |

EAST Search History

| | | | | | | |
|-----|----|---|--|----|-----|------------------|
| S72 | 3 | key near server with (public and private) near key same (key near server) near (public near key) near encrypt\$3 and encrypt\$3 near3 (name address) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 13:10 |
| S73 | 10 | key near server with (public and private) near key same (key near server) near (public near key) near encrypt\$3 and (name address) and (sender and (receiver recipient)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 15:54 |
| S74 | 5 | key near server with (public and private) near key and (sender with attach\$3 with encrypt\$3 with (package information data message)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 14:00 |
| S75 | 2 | (send\$3 transmit\$3) with (encrypt\$3 near (name address destination) with (receiver recipient)) with (server with public with key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 14:12 |
| S76 | 10 | ("5682430" "5748735" "5812671" "5909491" "6021200").PN. OR ("6377688").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/03/29 14:09 |
| S77 | 9 | (send\$3 transmit\$3) with (encrypt\$3 near (name address destination)) with (server with public with key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 14:17 |
| S78 | 7 | S77 not S75 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 14:23 |

EAST Search History

| | | | | | | |
|-----|----|---|--|----|-----|------------------|
| S79 | 64 | (encrypt\$3 with ((home near address) (delivery near information) (map destination)) with (public near key with (server))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 14:24 |
| S80 | 5 | (encrypt\$3 with ((home near address) (delivery near information) (map destination)) with (public near key with (key near server))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 14:27 |
| S81 | 0 | (encrypt\$3 with ((home near address) with (key near server))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 14:26 |
| S82 | 0 | (encrypt\$3 with ((home near address) same (key near server))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 14:26 |
| S83 | 0 | (encrypt\$3 with ((home near address) and (key near server))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 14:26 |
| S84 | 46 | (encrypt\$3 with ((home near address))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 14:26 |
| S85 | 2 | (encrypt\$3 near2 ((home near address))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 14:26 |

EAST Search History

| | | | | | | |
|-----|----|--|--|----|-----|------------------|
| S86 | 4 | (encrypt\$3 with (name) with (public near key with (key near server))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 15:06 |
| S87 | 1 | (receiver with request\$3 with (public near key) near (key near server)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 15:06 |
| S88 | 93 | (request\$3 with (public near key) near (key near server)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 15:07 |
| S89 | 16 | (request\$3 near (public near key) near (key near server)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 15:07 |
| S90 | 2 | key near server with (public and private) near key same (key near server) near (public near key) near encrypt\$3 and request\$3 near public near key | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 15:09 |
| S91 | 0 | key near server with (public and private) near key same (key near server) near (public near key) near encrypt\$3 and request\$3 near public near key near server | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 15:09 |
| S92 | 11 | key near server with request\$3 near public near key near server | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 15:09 |

EAST Search History

| | | | | | | |
|-----|----|--|--|----|-----|------------------|
| S93 | 0 | ((delivery near (system network server agency)) (key near server)) and (public near key) with (receiver recipient client) with (sender server) and (deliver\$3) with (encrypt\$3) with (public near key) and request\$3 near public near key near server | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 15:10 |
| S94 | 10 | ((delivery near (system network server agency)) (key near server)) and (public near key) with (receiver recipient client) with (sender server) with (public near key) and request\$3 near public near key near server | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 15:11 |
| S95 | 41 | request\$3 near3 (public near key) near3 (key near server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 15:55 |
| S96 | 5 | request\$3 near3 (public near key) near3 (key near server) same encrypt\$3 near3 (information data messgae) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 15:56 |
| S97 | 9 | request\$3 near3 (public near key) near3 (key near server) and encrypt\$3 near3 (information data messgae) and (deliver\$3 near (server system agency)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 15:56 |
| S98 | 7 | request\$3 near3 (public near key) near3 (key near server) and encrypt\$3 near3 (information data messgae) and (deliver\$3 near (server system agency)) and sender and (recipient receiver) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 15:59 |
| S99 | 27 | request\$3 near3 (public near key) near3 (key near server) and encrypt\$3 near3 (information data messgae) and sender and (recipient receiver) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 16:04 |

EAST Search History

| | | | | | | |
|----------|-----|--|--|----|-----|------------------|
| S10 0 | 4 | 380/277.ccls. and request\$3 near3 (public near key) near3 (key near server) and encrypt\$3 near3 (information data messgae) and sender and (recipient receiver) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 16:02 |
| S10 1 | 7 | server near public near key near request\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 16:08 |
| S10 2 | 114 | server near public near key with request\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 16:15 |
| S10 3 | 20 | key adj server adj3 public near key with request\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 16:10 |
| S10 4 | 2 | key adj server adj3 public near key with request\$3 with sender | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 16:13 |
| S10 5 | 14 | server adj3 public near key with request\$3 with sender | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 16:14 |
| S10 6 | 7 | server near public near key near request\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/29 16:15 |